



OP MEASURE RESOURCE LINKS

ORYX CHART ABSTRACTED MEASURES	RESOURCE	LINK
OP-18 Median Time from ED Arrival to ED Departure for Discharged ED Patients	AHRQ Improving Patient Flow and Reducing Emergency Department Crowding: A Guide for Hospitals	<a href="https://www.ahrq.gov/sites/default/files/publications/files/pt_flowguide.pdf">https://www.ahrq.gov/sites/default/files/publications/files/pt_flowguide.pdf</a>



<b>OP-40</b> Appropriate Treatment for ST-Segment Elevation Myocardial Infarction (STEMI) Patients in the Emergency Department (ED)	eCQI Resource Center: CMS link to human readable form of eCQM OP-40	<a href="https://ecqi.healthit.gov/oqr">https://ecqi.healthit.gov/oqr</a>
<b>OP-40</b> Appropriate Treatment for ST-Segment Elevation Myocardial Infarction (STEMI) Patients in the Emergency Department (ED)	AHA/ASA Journals: 2013 ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction	<a href="https://www.ahajournals.org/doi/10.1161/CIR.0b013e3182742cf6">https://www.ahajournals.org/doi/10.1161/CIR.0b013e3182742cf6</a>
<b>OP-40</b> Appropriate Treatment for ST-Segment Elevation Myocardial Infarction (STEMI) Patients in the Emergency Department (ED)	AHA/ASA Journals: Association Between 90-Minute Door-to-Balloon Time, Selective Exclusion of Myocardial Infarction Cases, and Access Site Choice	