Updated Feb. 14,2020

As you are aware, an outbreak of a new straion confavirus, 2019-nCoV, presents an ongoing health threatacross the globe. We are sure you have already been watirigingly to respond to this threat. As information and ecommendations about 2019-nCoV continue to evolve, we owarm phasize our support of the CDC and other public hepatithners as the appropriate sourcien confirmation and quidance for health care organizations and providers.

The <u>CDC Infection Control webpa</u>ger health care professionals addresses several areas werehink worth emphasizing:

- Minimize the chance of exposurevolverking to identify patients before arr(inval), asking screening questions for patients callibrage pointments) and as early as possible apprimal (e.g., place signs for patients advising to put on a mask if they have respirations).
- Implement triage procedures to defect 2019-nCoVduring or before patient triage or registration (e.g., at the time of patient check-in) and ensure that all patients are asked abou presence of symptoms of a respiratory infection and history of travel to areas experiencing transmission of 2019-nCoV or contact proishible 2019-nCoV patients.
- If screening at triage is positive tamed patient becomes a person under investiga (PRUH), this should be communicated directly to tinecians who will care for the patient, prevention and control services, and other health care factivity according to a standard protocol.
- Adhere to standard contact and airborneecautions including eye protection.
- Monitor stock and the supply chairpersonal protective equipment.
- Manage visitor access and movement withher facility.
- Implement mechanisms and policies promptly alert key facility staff including infection control, health care epidemiology, facilitydership, occupational health, clinical laboratomyd frontline staff about known or suspected 2019 pactients.
- Identify specific staff to communicante collaborate with state or local public healthorities. Remember also that

This also is a good decrease the risk of identified infectious	transmission of any	nizations of r outiot i infectious agent. \$h	ces that are currently nested be in place rega	required that will rdless of any new